


# PROFESSIONAL COMPETITIVE RELIABLE EFFICIENT



# QUNBANG BHARDWARE

PROFESSIONAL COMPETITIVE RELIABLE EFFICIENT









#### 2006

QBH entered the fastener industry

#### 2014

Establishment of QBH Company

Jiaxing City Qunbang Hardware Co., Ltd. is seated in Jiaxing City, Zhejiang Province with a good location and convenient transporta tion, where next to Shanghai Port, Ningbo Port and Zhapu Port. The company mainly produces nuts and bolts. Products of a wide range of standards are available, such as DIN, ANSI, ASME JIS, UNI, ISO, AS, BS, GB, etc. Available products mechanical property are as follows. Metric nuts: CL.6/8/10.Inch nuts: Grade21518.A194-2H, A194-2HM. Metric bolts: CL.4.8/5.8/6.8/8.8/10.9/12.9.Inch bolts: Grade 2/5/8, ASTM A325.


QBH from its establishment to he present, after ten years of development, it is equipped with perfect testing equipment, and SGS and TUV have a good cooperation, each batch of products is accompanied by a 3.1 or 3.2 certificate, further escort the quality of the company.

#### 2015

QBH shares in a number of enterprises







In 2017,we registered the trademark "QBH" in the CHINA\EU\United States,and has six fastener product patents, has obtained the Zhejiang Province science and technology small and medium-sized enterprise certificate as well as the ISO9001:2000 cerfiticate. With the continuous development and expansion of the company, as well as customer demand for product diversification, on the basis of its original production, in order to further enhance the potential for cooperation with customers, as well as to provide competitive prices. Starting in 2015, QBH has taken part in several fastener enterprises one after another, the product variety is more abundant and the price is more advantageous, and the quality can also be well controlled. OBH has always been to provide customers with efficient and convenient service and quality products, and create a pleasant trading process for customers for the mission, deeply participate in customer construction projects and make progress together with customers, this means that we need to provide better and more cost-effictive solutions, so as to help customers stand out from the competition.

QBH promises to always provide you with excellent quality, efficient service and very competitive prices. We believe that the cooperation between us is not only based on business, but also hope that we can open new markets on the basis of win-win situation. And thank all the customers in the past to give us great support and help, make us grow up gradually, at the same time also hope that in the nere future, and you can establish new business relations.

#### **2016**

Registered China, the United States and the European Union trademark



#### 2017

QBH is ISO9001:2000 certification

#### **2017**

QBH has 6 fastener product patents


#### 2018

Zhejiang Science and technology small and medium-sized Enterprise certificate

## **COMPANY ADVANTAGE**

QBH hardware with advanced production equipment, automatic production technology, professional manufacturing system, scientific production process, large-scale production to improve product quality and competitiveness, to better serve customers.





## HONOR AND QUALIFICATION













ISO9001 QUALITY CONTROL




UNITED STATES PATENT





COMPANY ADVANTAGE












TUV RHEINLAND CERTIFICATION



EUROPEAN APPEARANCE PATENT



#### NUT SERIES

### **HEX SOCKET BOLTS**

Socket head cap screws are commonly used in machine assembly for removable panels and parts. They have a round cap with a hex head and are tightened with a socket wrench drive. Longer caps are easier to see when fastened, while button and flat head caps are less likely to snag clothing or linkages. Cap screws with a black oxide or armor coat finish resist corrosion.



STANDARD	SIZE	CLASS
DIN912	M5-M48	CL4.8/8.8/10.9/12.9
ISO4762	M5-M48	CL4.8/8.8/10.9/12.9
JIS B1176	M5-M48	CL4.8/8.8/10.9/12.9
ANSI/ASME B 18.3.1M	M5-M30	CL4.8/8.8/10.9/12.9
ANSI/ASME B 18.3	1/4" -1"	Gr.2/5/8

FINISH	PLAIN, BLACK, Z.P., Y.Z.P., H.D.G., dacromet, geomet, nickle plated, mechanical zinc plated, etc.
MATERIAL	low carbon steel, medium carbon steel
PALLET	solid wood pallet, plywood pallet, ton box/bag, etc
PACKING	bulk/boxes in cartons, bulk in polybags/buckets, etc
LENGTH	Cold forgen:within300mm or 12inch Hot forgen:300mm-1000mm or 12inch-40inch

#### **U BOLTS**

Standoff Brackets Combine with a U-bolt or routing clamp to convey a variety of material, such as pipe, tubing, and cable raceway, at distance from floors, walls, and ceilings.









#### **ASSEMBLED SET** [NUT+BOLT+WASHER]

Assembled set refers to an outer hexagon bolt with a spring washer and a flat washer, which are fastened together by rubbing teeth. Combination bolt is also called outer hexagon combination screw, also called hexagon combination bolt.









**STYLE STANDARD** SIZE **CLASS** DIN3570 M10-M24 CL4.8/8.8 Round U-bolts/ full-sized/ M6-M36 Cl.4.8 square U-bolts under-sized

FINISH	PLAIN, BLACK, Z.P., Y.Z.P., H.D.G., dacromet, geomet, nickle plated, mechanical zinc plated, etc.
MATERIAL	low carbon steel, medium carbon steel
PALLET	solid wood pallet, plywood pallet, ton box/bag, etc
PACKING	bulk/boxes in cartons, bulk in polybags/buckets, etc

STANDARD	SIZE	CLASS
AS1252	M5-M20	CL8.8
DIN6914+DIN6915+DIN6916	M12-M36	CL8.8/10.9
GB1228+GB1229+GB1230	M5-M20	CL8.8/10.9
A307A+A563A+F844	1/4 "-2"	Gr2/5/8
DIN931/933+DIN934+ DIN125A+DIN127B	M6-M48	CL4.8/8.8/10.9
A325+A563 +F436		
A490+A563DH+F436		
EN14399	M12-M36	CL8.8/10.9

FINISH	PLAIN, BLACK, Z.P., Y.Z.P., H.D.G., dacromet, geomet, nickle plated, mechanical zinc plated, etc.	
MATERIAL	medium carbon steel, alloy steel	
PALLET	solid wood pallet, plywood pallet, ton box/bag, etc	
PACKING	bulk/boxes in cartons, bulk in polybags/buckets,etc	
LENGTH	Cold forgen:within300mm or 12inch Hot forgen:300mm-1000mm or 12inch-40inch	

**BOLT SERIES** 08 COMPANY PROFILE COMPANY ADVANTAGE NUT SERIES WASHER SERIES

#### **HEAVY HEX BOLTS**

Heavy hex bolts are heavy profile hexagon bolts with large width across flats and high head height. Also known as heavy hex head bolts or heavy hex structural bolts, these heavy hex bolts are commonly manufactured in high tensile grade 5, 8, 8.8, 10.9, 12.9, a193 grade b7, b7m, b8, b8m, b16, a320 grade l7, l7m, stainless steel and other material.





HARDNESS





#### HEX **BOLTS**

Hex Bolts are bolt fasteners with six sided hexagon head and externally threaded body. Hexagonal head profile enables easy wrenching while putting enough torque to the bolting joint. Hex bolts are used with hex nuts or a tapped hole. Hexagon head bolts, Hex machine bolts are other alias of Hex bolts.









STANDARD	SIZE	CLASS
DIN6914	M12-M36	10.9
ASME B18.2.1	1/4"-2"	Gr.2/5/8
ASME B18.2.3.3M	M12-M36	Cl.4.8/6.8/8.8/10.9
ASME B18.2.3.6M	M12-M36	Cl.4.8/6.8/8.8/10.9
A307C	1/4"-2"	A307B
ASTM A193	1/2"-2"	В7
ASTM A325	1/2"-1-1/2"	A325
ASTM A325M	M12-M36	A325M
ASTM A490	1/2"-1-1/2"	A490
ASTM A490M	M12-M36	A490M
EN14399-3 EN14399-4	M12-M36	CL8.8/10.9

STANDARD	SIZE	CLASS
DIN931	M5-M56	Cl.4.8/6.8/8.8/10.9
DIN933	M5-M56	Cl.4.8/6.8/8.8/10.9
DIN960	M5-M56	Cl.4.8/6.8/8.8/10.9
DIN961	M5-M56	Cl.4.8/6.8/8.8/10.9
ISO4014	M5-M56	Cl.4.8/6.8/8.8/10.9
ISO4017	M5-M56	Cl.4.8/6.8/8.8/10.9
JIS B1180	M5-M56	Cl.4.8/6.8/8.8/10.9
ASTM A307A	1/4"-2"	A307A
ASTM B18.2.1	1/4"-2"	Gr.2/5/8
ASTM B18.2.3.1M	M5-M56	Cl.4.8/6.8/8.8/10.9
ASTM B18.2.3.5M	M5-M56	Cl.4.8/6.8/8.8/10.9

FINISH	PLAIN BLACK Z.P. Y.Z.P. H.D.G. dacromet, geomet, nickle plated, mechanical zinc plated, etc.
MATERIAL	low carbon steel, medium carbon steel, alloy steel
PALLET	solid wood pallet,plywood pallet,ton box/bag,etc
PACKING	bulk/boxes in cartons, bulk in polybags/buckets,etc
LENGTH	Cold forgen:within300mm or 12inch Hot forgen:300mm-1000mm or 12inch-40inch

### CARRIAGE BOLTS

Carriage Bolts are round head bolt fasteners with a locking neck style, which prevents turning when the nut is tightened or removed. Round head carriage bolts comes with square neck, oval neck, ribbed neck, fin neck or elliptical neck styles according to the degree of resistance required.









### FLANGE BOLTS

NUT SERIES

Hex Flange Bolts are regular hex head bolts with built-in washer and externally threaded body

Flange bolts comes with plain or serrated flange configuration. Hexagon flange bolts, flange bolts, frame bolts are other alias of hex flange bolts.









 STANDARD
 SIZE
 CLASS

 DIN603
 M5-M20
 Cl.4.8/6.8/8.8

 ANME B18.5
 1/4 "-1"
 CL2/5/8

 ISO8678
 M5-M20
 Cl.4.8/6.8/8.8

STANDARD	SIZE	CLASS
DIN6921	M5-M20	Cl.4.8/6.8/8.8/10.9
ASME B18.2.3.4M	M5-M16	Cl.4.8/6.8/8.8/10.9
EN14219	M8-M16	Cl.4.8/6.8/8.8/10.9
IFI Hex Flange Bolt	1/4"-3/4"	CL2/5/8

FINISH	PLAIN BLACK Z.P. Y.Z.P. H.D.G. dacromet, geomet, nickle plated, mechanical zinc plated, etc.
MATERIAL	low carbon steel / Middle carbon steel
PALLET	solid wood pallet,plywood pallet,ton box/bag,etc
PACKING	bulk/boxes in cartons, bulk in polybags/buckets,etc
LENGTH Cold forgen:within300mm or 12inch Hot forgen:300mm-1000mm or 12inch-40inch	



## HEAVY HEX NUTS

Heavy Hex Nuts are oversized hex nuts for structural bolting applications. Heavy hex nuts are often called as hexagon heavy nuts or large hex nuts. Heavy hexagon nuts are used with heavy hex bolts or screws. Hevay hex nuts are oversized, both in thickness and hexagon across flat dimensions.









CL5/10



## HEX NUTS

Hex Nuts are six sided hexagon nuts, used for tightening bolts and screws. Hex nuts are often found with hex headed bolts. However its use is not limited to only hex headed bolts. Hexagonal body enables easy wrenching while putting enough torque to the bolting joint. Hex nuts can be used with all kinds of bolts. Hexagon nuts, six sided nuts are other alias of hex nuts.









**STANDARD** SIZE **CLASS** DIN6915/ISO4759/GB1229 M12-M64 CI.10 ASTM A194 1/4"-4",M12-M90 2H,2HM,4,7,7M 1/4"-4" ASTM A563 A,B,C,D,DH ASTM A563M M12-M90 5,10,85,105 ANSI B18.2.2 1/4"-4" Gr.2/5/8

M5-M90

FINISH	PLAIN, BLACK, Z.P., Y.Z.P., H.D.G., dacromet, geomet, nickle plated, mechanical zinc plated, etc.
MATERIAL	medium carbon steel, alloy steel
PALLET	solid wood pallet,plywood pallet, ton box/bag,etc
PACKING	bulk/boxes in cartons, bulk in polybags/buckets,etc

ANSI B18.2.4.6M



STANDARD	SIZE	CLASS
DIN934/DIN555	M5-M90	Cl.6/8/10
JIS B1181	M5-M90	Cl.6/8/10
ISO4032/ISO4033/ISO4034	M5-M64	Cl.6/8/10
UNI5587/UN15588	M5-M80	Cl.6/8/10
ANSI B18.2.2	1/4"-3"	Gr.2/5/8
ANSI B18.2.4.1M	M5-M36	CL5/10
AS1112	M5-M48	CL6/8/10

FINISH	PLAIN, BLACK, Z.P., Y.Z.P., H.D.G., dacromet, geomet, nickle plated, mechanical zinc plated, etc.
MATERIAL	low carbon steel, medium carbon steel, alloy steel.
PALLET	solid wood pallet, plywood pallet, ton box/bag, etc
PACKING	bulk/boxes in cartons, bulk in polybags/buckets,etc

WASHER SERIES

## THIN/JAM NUTS

Jam Nuts are low profile, short hex nuts, with thickness half of the standard hex nuts. Jam nut is coupled with standard hex nut as a back up nut or lock nut where it is jammed up against the standard hex nut to lock the two in place. Jam nuts are also known as thin hex nuts, hex jam nuts, jam lock nuts or thin hex lock nuts.

## LARGE / HEX FLANGE NUTS

Flange Nuts are a type of nuts with hex profile body and a large flange like base at one end that acts as a integrated, non spinning washer. This flange washer is used to distribute pressure of the nut over a greater surface area and also ensures that the nut stays tight. Flange nuts are unidirectional fasteners that can be used in only one direction.

















FRIVOLOUS

LOCKING AIRTIGHTNESS







STANDARD	SIZE	CLASS
DIN439	M8-M52	04,05
DIN936	M8-M52	04/05/17H/22H
ISO4035	M5-M64	04,05
ANSI Hex Jam	3/8"-1-1/2"	Gr.2./5
ANSI Heavy Hex Jam	3/8"-4"	Gr.2./5
ANSI B18.2.4.5M	M5-M36	Gr.2./5
UNI5589	M6-M60	04,05

STANDARD	SIZE	CLASS
DIN6923	M5-M30	Cl.6/8
ANSI B18.2.2	1/4"-3/4"	Cl.2/5
ANSI B18.2.4.4M	M5-M20	CI.2/5

FINISH	PLAIN, BLACK, Z.P., Y.Z.P., H.D.G., dacromet, geomet, nickle, plated, mechanical, zinc, plated, etc.
MATERIAL	low carbon steel, medium carbon steel
PALLET	solid wood pallet, plywood pallet, ton box/bag, etc
PACKING	bulk/boxes in cartons, bulk in polybags/buckets,etc

## SQUARE NUTS

Square Nuts are four sided square body nut fasteners with centre tapping. Square nuts are often used with square headed bolts. However its use is not limited to only square headed bolts. Square body profile is can sustain less torquing force as compared to 6 sided hexagon. Square nuts are also known by 4 sided nuts and square body nuts..










## LOCK NUTS

Lock Nuts 2 results found that include 27 products Locknuts lock fasteners in place to keep them from backing out or loosening due to vibration or torque. A locknut is commonly used in place of a standard nut on vibrating machinery and when joining soft materials.

**NUT SERIES** 









STANDARD	SIZE	CLASS
DIN557/DIN562	M5-M16	CI.5
ANSI B18.2.2	1/4"-1-1/2"	Gr.2
ANSI B18.2.2-HEAVY SERIES	1/4"-1-1/2"	Gr.2

FINISH	PLAIN, BLACK, Z.P., Y.Z.P., H.D.G., dacromet, geomet, nickle plated, mechanical zinc plated, etc.
MATERIAL	low carbon steel,
PALLET	solid wood pallet, plywood pallet, ton box/bag, etc
PACKING	bulk/boxes in cartons, bulk in polybags/buckets, etc

STANDARD	SIZE	CLASS
DIN985	M3-M48	CL6/8/10
DIN982	M3-M48	CL6/8/10
ANSI/ASME B 18.16.6	1/4" -2"	Gr2/5/8
DIN980V/M	M5-M24	CL6/8/10
DIN6926	M5-M20	CL6
DIN6927	M5-M20	CL6

FINISH	PLAIN, BLACK, Z.P., Y.Z.P., H.D.G., dacromet, geomet, nickle plated, mechanical zinc plated, etc.
MATERIAL	medium carbon steel, alloy steel
PALLET	solid wood pallet, plywood pallet, ton box/bag, etc
PACKING	bulk/boxes in cartons, bulk in polybags/buckets,etc

WASHER SERIES 14 NUT SERIES COMPANY PROFILE COMPANY ADVANTAGE BOLT SERIES

## **WASHER SERIES**



## FLAT WASHER















STANDARD		SIZE	CLASS
DIN125A/DIN1 DIN1440/DIN1 DIN440R/DIN9	441	M3-M80	100HV200HV300HV
ISO7089 ISO70	090	M3-M80	100HV200HV300HV
JIS B1256		M6-M48	100HV200HV300HV
ANSI/ASME SA	E USS	1/4"2inch	100HV200HV300HV
F436/F436M		M12-M36 1/21-1/	2 8.8 10.9
F959/F959M		M12-M36 1/21-1/	2 8.8 10.9
FINISH		BLACK. Z.P. Y.Z.P. H. plated. etc.	D.G. dacromet. geomet,
MATERIAL	Q235/:	1045/65Mn/70# etc	
PALLET		vood pallet,EU palle x/bag etc.	t, plywood pallet,
PACKING		ooxes in carton, n polybags/buckets,	etc.

STANDARD	SIZE	CLASS
DIN127B/DIN7980	M3-M48	38-45HRC
JIS B1251	M6-M30	38-45HRC
ANSI/ASME B18.21.1	1/4"-1inch	38-45HRC

FINISH	PLAIN. BLACK. Z.P. Y.Z.P. H.D.G. dacromet. geomet, nickle plated. etc.
MATERIAL	Middle carbon steel, high carbon steel
PALLET	solid wood pallet, EU pallet, plywood pallet, ton box/bag etc.
PACKING	bulk/boxes in carton, bulk in polybags/buckets,etc.

#### HAND-IN-HAND COMMITMENT HEART-TO-HEART SERVICE.

#### JIAXING CITY QUNBANG HARDWARE CO., LTD

ADD: NO.375,TONGLE ROAD,NANHU DISTRICT, SKYPE:

JIAXING CITY, ZHEJIANG PROVINCE WHATAPP/WECHAT: +86-13511332403

**ZJLIULEI** 

TEL: +86-573-82071081 82071083 E-MAIL: SALES@QBFASTENER.CN

FAX: +86-573-82071082 LIULEI94453078@163.COM

MOBILE: +86-13511332403 WEB: WWW.STEELNUTBOLTS.COM



